



## Essential Antinutrients in Plant-Based Proteins and Exploring Their Nutritional Implications

Bibi Hafsa Azra<sup>1\*</sup>, Vidhya C.S.<sup>2</sup>, Abhinandana KR<sup>3</sup>, Sandeep Rout<sup>4</sup>, Priya Subramanian Kalaimani<sup>5</sup>

<sup>1</sup>Department of Botany, Anwarul Uloom College. 11-3-918, New Mallepally, Hyderabad, Telangana, 500001, India.

<sup>2</sup>Department of Primary Processing Storage and Handling, NIFTEM-Thanjavur, Thanjavur-613005, Tamil Nadu, India.

<sup>3</sup>University of Agricultural Sciences, GKVK, Bengaluru -560065, India.

<sup>4</sup>Faculty of Agriculture, Sri Sri University, Cuttack, Odisha, 754006, India.

<sup>5</sup>National Institute of Food Technology, Entrepreneurship and Management (NIFTEM) - Thanjavur 61300, India.

### Abstract

Plant-based diets have gained considerable attention for their health and environmental benefits. However, many plant foods contain compounds known as anti-nutrients, which can interfere with nutrient absorption and utilization. This abstract explores the role of essential anti-nutrients in plant-based proteins and their nutritional implications. Common anti-nutrients found in plant-based proteins include phytic acid, lectins, tannins, and oxalates. These compounds can bind to minerals such as calcium, iron, zinc, and magnesium, reducing their bioavailability and potentially leading to nutrient deficiencies. Additionally, some antinutrients may contribute to gastrointestinal discomfort and interfere with overall nutrient absorption. Understanding the nutritional implications of antinutrients is crucial for optimizing the health benefits of plant-based diets. Various food processing methods, including soaking, sprouting, and fermentation, can help reduce antinutrient levels and improve nutrient bioavailability. Diversifying the diet, combining foods strategically, and employing appropriate cooking methods can also mitigate the effects of antinutrients and enhance nutrient absorption from plant-based foods while plant-based proteins offer numerous health advantages, it is essential to consider the presence of antinutrients and adopt strategies to maximize nutrient intake and absorption. By embracing a diverse and balanced approach to plant-based eating and implementing appropriate food processing techniques, individuals can optimize the nutritional quality of their diets and promote overall health and well-being. Plant-based proteins have gained popularity in recent years due to their perceived health benefits and sustainability. However, many plant foods contain compounds known as antinutrients, which can interfere with nutrient absorption and digestion. Understanding the role of these antinutrients and their nutritional implications is essential for optimizing the health benefits of plant-based diets.

**Keywords:** antinutrients, plant, proteins, nutritional implications, diet, food.

### Introduction

Plant-based diets have gained significant popularity due to their perceived health benefits and environmental sustainability. However, it is essential to recognize that many plant foods contain compounds known as anti-nutrients, which can impact nutrient absorption and utilization in the body. This introduction sets the stage for exploring the role of anti-nutrients in plant-based proteins and their implications for nutrition [2]. In recent years, plant-based eating patterns have become increasingly prevalent, driven by concerns about health, animal welfare, and environmental sustainability. Plant proteins, derived from sources such as legumes, grains, nuts, and seeds, play a central role in these diets, providing essential amino acids and serving as alternatives to animal-derived protein sources. While plant proteins offer numerous health benefits, it is important to understand that certain plant foods contain anti-nutrients, which can hinder the absorption of key nutrients and affect overall nutritional status. Common anti-nutrients found in plant-based proteins include phytic acid, lectins, tannins, and oxalates [3].

Phytic acid, for example, can bind to minerals such as calcium, iron, zinc, and magnesium, forming insoluble complexes that are poorly absorbed by the body. Lectins, another class of antinutrients, can interfere with nutrient absorption and may contribute to gastrointestinal discomfort in sensitive individuals. Tannins and oxalates, found in various plant foods, can also inhibit mineral absorption and may pose challenges to optimal nutrient utilization [4]. Understanding the presence and effects of antinutrients in plant-based proteins is critical for individuals following plant-based diets, as well as for nutritionists, healthcare professionals, and policymakers advocating for public health. While antinutrients may pose challenges to nutrient absorption, it is important to note that their impact can be mitigated through various food processing methods, cooking techniques, and dietary strategies [5]. By exploring the role of antinutrients in plant-based proteins and their nutritional implications, we can gain insights into how to optimize the healthfulness and nutrient bioavailability of plant-based diets. This knowledge can inform dietary recommendations, food processing technologies, and consumer

14 June 2023: Received | 23 September 2023: Revised | 19 October 2023: Accepted | 04 November 2023: Available Online

**Citation:** Bibi Hafsa Azra, Vidhya C.S., Abhinandana K R, Sandeep Rout, Priya Subramanian Kalaimani (2023). Essential Antinutrients in Plant-Based Proteins and Exploring Their Nutritional Implications. *Journal of Plant Biota*.

**DOI:** <https://doi.org/10.51470/JPB.2023.02.02.05>

**Bibi Hafsa Azra | [hafsaazra55@gmail.com](mailto:hafsaazra55@gmail.com)**

**Copyright:** © 2023 by the authors. The license of *Journal of Plant Biota*. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).

education efforts aimed at promoting balanced and sustainable dietary patterns. In the subsequent sections, we will delve deeper into the specific types of antinutrients found in plant-based proteins, their mechanisms of action, and strategies for mitigating their effects [6]. By examining these aspects comprehensively, we can empower individuals to make informed dietary choices and maximize the nutritional benefits of plant-based eating while minimizing potential drawbacks associated with antinutrient consumption.


### Common Antinutrients in Plant-Based Proteins

**1. Phytic Acid:** Found in seeds, nuts, grains, and legumes, phytic acid binds to minerals such as calcium, iron, zinc, and magnesium, forming insoluble complexes that are poorly absorbed by the body. This can lead to mineral deficiencies and compromise overall nutrient status.

**2. Lectins:** Lectins are proteins found in many plant foods, including beans, grains, and nightshade vegetables. Some lectins can interfere with the absorption of nutrients and may cause gastrointestinal discomfort in sensitive individuals.

**3. Tannins:** Tannins are polyphenolic compounds found in tea, coffee, and certain fruits, vegetables, and grains. They can inhibit the absorption of iron and other minerals and may contribute to gastrointestinal irritation.

**4. Oxalates:** Oxalates are naturally occurring compounds found in foods like spinach, rhubarb, and beets. They can bind to calcium, forming insoluble crystals that may contribute to the formation of kidney stones and interfere with calcium absorption.



**Figure 1.** The figure illustrates the pivotal role of Anti-Nutritional Factors (ANFs) in preventing serious life-threatening human diseases that can significantly impact the quality of life. ANFs, often found in various foods, particularly plant-based sources, have been identified for their potential health benefits in mitigating the risk of several ailments. Here's a breakdown of the diseases highlighted in the figure and is adopted from [1] copyright permission from Frontiers

**1. Cancers:** ANFs exhibit properties that may help in the prevention of certain types of cancers. For instance, certain compounds found in fruits, vegetables, and whole grains have been linked to reduced cancer risk due to their antioxidant and anti-inflammatory properties, which help combat oxidative stress and inflammation, two factors associated with cancer development.

**2. Diabetes:** Some ANFs have shown promise in managing blood sugar levels and improving insulin sensitivity, making them

beneficial in the prevention and management of diabetes. For example, dietary fiber found in many plant foods can slow down the absorption of glucose, helping to stabilize blood sugar levels.

**3. Bacterial and Fungal Infections:** Certain ANFs possess antimicrobial properties that can help combat bacterial and fungal infections. For instance, compounds like phytoalexins found in plants act as natural defense mechanisms against pathogens, contributing to immune system support and infection prevention.

**4. Metabolic Diseases:** ANFs can play a role in preventing metabolic diseases by influencing lipid metabolism, glucose homeostasis, and insulin signaling pathways. Components like polyphenols and flavonoids found in foods like berries and green tea have been associated with improved metabolic health.

**5. Hypertension:** ANFs may contribute to the management of hypertension, or high blood pressure, by promoting vasodilation, reducing inflammation, and supporting cardiovascular health. Certain plant compounds, such as flavonoids and potassium, have been shown to help regulate blood pressure levels.

**6. Cardiovascular Ailments:** ANFs can exert protective effects on the cardiovascular system by reducing cholesterol levels, inhibiting platelet aggregation, and promoting overall heart health. For example, soluble fiber found in oats and legumes can help lower LDL cholesterol levels, reducing the risk of heart disease.

Overall, the schematic representation in Figure 1 highlights the diverse health benefits of ANFs in mitigating the risk of various diseases, including cancers, diabetes, bacterial and fungal infections, metabolic diseases, hypertension, and cardiovascular ailments [7-9]. By incorporating ANF-rich foods into the diet, individuals may enhance their overall health and well-being while reducing the risk of developing these serious health conditions.

### Nutritional Implications of Antinutrients in Plant-Based Proteins

Antinutrients, naturally occurring compounds found in many plant foods, can have significant implications for nutrient absorption and utilization in the body. Understanding these implications is essential for optimizing the nutritional quality of plant-based diets and promoting overall health and well-being. The presence of antinutrients in plant-based proteins poses significant implications for nutrition [10]. Antinutrients, such as phytic acid, lectins, tannins, and oxalates, can hinder the absorption of essential minerals like calcium, iron, zinc, and magnesium. This interference can lead to mineral deficiencies over time, potentially resulting in conditions like iron deficiency anemia. Moreover, some antinutrients, particularly lectins, may cause gastrointestinal discomfort, including bloating, gas, and diarrhea, especially in sensitive individuals or when consumed in large quantities. Additionally, oxalates, found in foods like spinach and rhubarb, can contribute to the formation of kidney stones, while tannins may reduce the digestibility and absorption of proteins and carbohydrates. The nutritional implications of antinutrients underscore the importance of employing strategies to mitigate their effects. Techniques such as soaking, sprouting, and fermentation can help reduce antinutrient levels in plant-based foods, enhancing nutrient

bioavailability. Diversifying the diet and employing appropriate cooking methods can also minimize the impact of antinutrients while maximizing nutrient absorption from plant-based proteins. By understanding the nutritional implications of antinutrients and adopting appropriate dietary strategies, individuals can optimize the nutritional quality of plant-based diets and promote overall health and well-being [11].

**1. Impact on Mineral Absorption:** One of the primary nutritional implications of antinutrients is their ability to inhibit the absorption of essential minerals such as calcium, iron, zinc, and magnesium. Phytic acid, for example, forms insoluble complexes with minerals, reducing their bioavailability and potentially leading to deficiencies if consumed in excess.

**2. Contribution to Nutrient Deficiencies:** Prolonged consumption of foods high in antinutrients, particularly phytic acid, can contribute to mineral deficiencies over time. Iron deficiency anemia, in particular, is a common concern in populations with high phytic acid intake, as phytic acid inhibits the absorption of non-heme iron from plant-based sources [18].

**3. Gastrointestinal Discomfort:** Some antinutrients, such as lectins, can cause gastrointestinal discomfort in susceptible individuals. Lectins have been associated with symptoms like bloating, gas, and diarrhea, particularly when consumed in large quantities or in raw or undercooked form [17].

**4. Potential Impact on Bone Health:** Antinutrients like oxalates and phytic acid can interfere with calcium absorption, which may have implications for bone health over time. Individuals who rely heavily on plant-based sources of calcium should be mindful of their intake of foods high in antinutrients and consider strategies to enhance calcium absorption [16].

**5. Risk of Kidney Stones:** Oxalates, found in foods like spinach, rhubarb, and beets, can contribute to the formation of kidney stones in susceptible individuals. Consuming excessive amounts of oxalate-rich foods without adequate fluid intake may increase the risk of kidney stone formation [19].

**6. Impact on Nutrient Bioavailability:** Antinutrients can also affect the bioavailability of other nutrients present in plant-based foods. For example, tannins can bind to proteins and carbohydrates, potentially reducing the digestibility and absorption of these nutrients in the gastrointestinal tract.

### **Mitigating the Effects of Antinutrients**

While antinutrients pose potential challenges to nutrient absorption and utilization, their effects can be mitigated through various dietary strategies and food processing methods:

**Soaking, Sprouting, and Fermentation:** These traditional food processing techniques can help reduce the levels of antinutrients in plant-based foods. Soaking grains, legumes, and seeds before cooking, sprouting seeds and grains, and fermenting foods like soybeans can help degrade antinutrients and improve nutrient bioavailability.

**Diversification of Diet:** Consuming a diverse range of plant-based foods can help minimize the impact of antinutrients by ensuring a varied intake of nutrients and reducing reliance on foods high in specific antinutrients.

**Cooking Methods:** Cooking can help break down antinutrients

and improve the digestibility and bioavailability of nutrients in plant-based foods. Boiling, steaming, and roasting are effective cooking methods that can reduce antinutrient levels while preserving the nutritional integrity of foods.

**Combining Foods:** Pairing foods rich in certain nutrients with foods containing antinutrients can help enhance nutrient absorption. For example, consuming vitamin C-rich fruits or vegetables with iron-rich plant foods can enhance iron absorption and offset the effects of antinutrients like phytic acid, while antinutrients present in plant-based proteins can impact nutrient absorption and utilization, their effects can be managed through informed dietary choices and food preparation methods. By understanding the nutritional implications of antinutrients and implementing strategies to mitigate their effects, individuals can optimize the healthfulness and nutrient adequacy of plant-based diets. While antinutrients can interfere with nutrient absorption, their effects can be mitigated through various food processing methods, cooking techniques, and dietary strategies [12].

**1. Soaking, Sprouting, and Fermentation:** These traditional food processing methods can help reduce the levels of antinutrients in plant-based foods. Soaking legumes and grains before cooking, sprouting seeds and grains, and fermenting foods like soybeans (to make tofu or tempeh) can help break down antinutrients and improve nutrient bioavailability [13].

**2. Diversification of Diet:** Consuming a diverse range of plant-based foods can help mitigate the effects of antinutrients by ensuring a varied intake of nutrients and reducing reliance on foods high in specific antinutrients [14].

**3. Combining Foods:** Combining foods rich in certain nutrients with foods containing antinutrients can help enhance nutrient absorption. For example, pairing iron-rich plant foods with vitamin C-rich fruits or vegetables can enhance iron absorption and offset the effects of antinutrients like phytic acid [15].

**4. Cooking Methods:** Cooking can help break down antinutrients and improve the digestibility and bioavailability of nutrients in plant-based foods. Boiling, steaming, and roasting are effective cooking methods that can reduce antinutrient levels while preserving the nutritional integrity of foods [16].

### **Conclusion**

In conclusion, the presence of antinutrients in plant-based proteins underscores the complexity of nutritional considerations within plant-based diets. While these compounds can pose challenges to nutrient absorption and utilization, particularly with minerals like calcium, iron, zinc, and magnesium, understanding their implications allows for informed dietary choices and strategies to mitigate their effects. Antinutrients, such as phytic acid, lectins, tannins, and oxalates, can contribute to mineral deficiencies, gastrointestinal discomfort, and potential impacts on bone health and kidney stone formation. However, through various food processing methods, cooking techniques, and dietary strategies, the negative effects of antinutrients can be minimized. Soaking, sprouting, fermenting, diversifying the diet, employing appropriate cooking methods, and combining foods strategically can all help reduce antinutrient levels and enhance nutrient bioavailability in plant-based diets. By embracing a diverse and balanced approach to plant-based eating and

incorporating these strategies, individuals can optimize the nutritional quality and health benefits of their diets. Furthermore, continued research into the effects of antinutrients and the development of innovative food processing technologies will contribute to the ongoing refinement of plant-based diets and their nutritional implications. In navigating the complexities of antinutrients in plant-based proteins, it is essential to emphasize the importance of individualized dietary approaches, informed by personal health goals, preferences, and cultural considerations. By fostering education and awareness around the role of antinutrients and promoting evidence-based dietary practices, we can empower individuals to make informed choices that support their overall health and well-being within the context of plant-based nutrition.

## References

- Salim, R., Nehvi, I. B., Mir, R. A., Tyagi, A., Ali, S., & Bhat, O. M. (2023). A review on anti-nutritional factors: Unraveling the natural gateways to human health. *Frontiers in Nutrition*, 10. <https://doi.org/10.3389/fnut.2023.1215873>
- Nath, H., Samtiya, M., & Dhewa, T. (2022). Beneficial attributes and adverse effects of major plant-based foods anti-nutrients on health: A review. *Human Nutrition & Metabolism*, 28, 200147.
- Samtiya, M., Aluko, R. E., & Dhewa, T. (2020). Plant food anti-nutritional factors and their reduction strategies: an overview. *Food Production, Processing and Nutrition*, 2, 1-14.
- Kong, X., Li, Y., & Liu, X. (2022). A review of thermosensitive antinutritional factors in plant-based foods. *Journal of Food Biochemistry*, 46(9), e14199.
- Rudra, S. G., Singh, A., Pal, P., & Thakur, R. K. (2023). Antinutritional Factors in Lentils: Their Effect on Bioavailability of Nutrients and Significance in Human Health. *Lentils: Production, Processing Technologies, Products, and Nutritional Profile*, 339-364.
- Rudra, S. G., Singh, A., Pal, P., & Thakur, R. K. (2023). Antinutritional Factors in Lentils: Their Effect on Bioavailability of Nutrients and Significance in Human Health. *Lentils: Production, Processing Technologies, Products, and Nutritional Profile*, 339-364.
- Hertzler, Steven R., Jacqueline C. Lieblein-Boff, Mary Weiler, and Courtney Allgeier. "Plant proteins: assessing their nutritional quality and effects on health and physical function." *Nutrients* 12, no. 12 (2020): 3704.
- Jin, J., Ohanenye, I. C., & Udenigwe, C. C. (2022). Buckwheat proteins: Functionality, safety, bioactivity, and prospects as alternative plant-based proteins in the food industry. *Critical Reviews in Food Science and Nutrition*, 62(7), 1752-1764.
- Amin, A., Petersen, I. L., Malmberg, C., & Orlén, V. (2022). Perspective on the effect of protein extraction method on the antinutritional factor (ANF) content in seeds. *ACS Food Science & Technology*, 2(4), 604-612.
- Akeem, S. A., Kolawole, F. L., Joseph, J. K., Kayode, R. M. O., & Akintayo, O. A. (2019). Traditional food processing techniques and micronutrients bioavailability of plant and plant-based foods: a review. *Annals: Food Science & Technology*, 20(1).
- Jain, R., & Goomer, S. (2020). Nutritional and health benefits of plant proteins: a review. *Plant Arch*, 20, 160-162.
- Lynch, H., Johnston, C., & Wharton, C. (2018). Plant-based diets: Considerations for environmental impact, protein quality, and exercise performance. *Nutrients*, 10(12), 1841.
- Sharan, S., Zanghelini, G., Zotzel, J., Bonerz, D., Aschoff, J., Saint-Eve, A., & Maillard, M. N. (2021). Fava bean (*Vicia faba* L.) for food applications: From seed to ingredient processing and its effect on functional properties, antinutritional factors, flavor, and color. *Comprehensive Reviews in Food Science and Food Safety*, 20(1), 401-428.
- Wolf, P. J., Fu, L. L., & Basu, A. (2011). Protein: identifying optimal amino acid complements from plant-based foods. *PLoS One*, 6(4), e18836.
- Rahate, K. A., Madhumita, M., & Prabhakar, P. K. (2021). Nutritional composition, anti-nutritional factors, pretreatments-cum-processing impact and food formulation potential of faba bean (*Vicia faba* L.): A comprehensive review. *Lwt*, 138, 110796.
- Kumar, M., Tomar, M., Potkule, J., Punia, S., Dhakane-Lad, J., Singh, S., & Kennedy, J. F. (2022). Functional characterization of plant-based protein to determine its quality for food applications. *Food Hydrocolloids*, 123, 106986.
- Berrazaga, I., Micard, V., Gueugneau, M., & Walrand, S. (2019). The role of the anabolic properties of plant-versus animal-based protein sources in supporting muscle mass maintenance: a critical review. *Nutrients*, 11(8), 1825.
- Raja, K., Kadirvel, V., & Subramaniyan, T. (2022). Seaweeds, an aquatic plant-based protein for sustainable nutrition-A review. *Future Foods*, 5, 100142.
- Munekata, P. E., Domínguez, R., Budaraju, S., Roselló-Soto, E., Barba, F. J., Mallikarjunan, K., & Lorenzo, J. M. (2020). Effect of innovative food processing technologies on the physicochemical and nutritional properties and quality of non-dairy plant-based beverages. *Foods*, 9(3), 288.